



CATALOGUE

THAT, PRODUCT RANGE, YOU NEVER HEARD BEFORE....



COMPANY PROFILE

- We Introduce Ourselves As Manufactures And Exporters Of Ferrous And Non-ferrous Precision Metal Components.
- Since, Three Decades Nayna Enterprise Has Witnessed & Implemented The Engineering Technologies Whatever Came Across The Past Commercial Phase, Up To The Best Of The Best.
- Since 1987, Many Wonders Have Been Created Towards The Globalization Of Business & Thankfully World Becomes So Small For Overseas Business Trade & Opportunities, With The Blessing Of Information & Technology Revolution.
- Our Culture, Mind-set And Attitude Enable Us To Compete Successfully In The World Market Place.
 We At Nayna Enterprise Believe That The Search For Excellence Is A Continuous Process And Our Achievements Are Purely Milestones In The Long Journey.
- Nayna Enterprise Welcomes All Business Proposals From Worldwide In Form Of Joint Ventures, Agencies, Tie-up Technologies, Partnership & In Whatever Way Best, For The Organizations Towards The New Achievements, Enlargements & Innovation.
- we also welcome all inquiries interested in selling and distributing our precious products into there specific region by becoming our associates or agents.

QUALITY POLICY

- Our Prime Focus Is The Satisfaction Of Our Honourable Customers & Our Prime Motto Is To Meet Customer's Requirements Effectively & Creating Values For All, Our Customers, Our Company & Society.
- We At Nayna Enterprise Are Committed To Manufacture & Deliver Consistently Quality Engineering Brass Components And Services To The Customers. We Are Committed To Purse Excellency Through Continuous Improvement In All Areas Of Business Process And To Distinguish Ourselves By The Quality, Delivery & Cost Efficiency Of Our Products & Services With The Total Involvement Of Our Employees. We At Nayna Enterprise Thrive To Understand And Fulfill With Quick Response Of The Changing Needs Of Customers Time To Time. We Are Committed To Adopt & Implement Latest World Standards Techniques & System For Ensuring Total Quality Control.

PRODUCTS

THAT, PRODUCT RANGE, YOU NEVER HEARD BEFORE....

- Brass Electrical Parts
- Brass Terminal Blocks
- Brass Neutral Links
- Brass Cable Glands
- Brass Earthing Accessories
- Brass Line Taps
- Brass Transformer Parts
- Brass Electronics Parts
- Brass Switch Gear Parts
- Brass Fuse Parts
- Brass Turned Components
- Brass Fasteners
- Brass Anchors
- Brass Nuts-Bolts

- Brass Moulding Inserts
- Brass Pipe Fittings
- Brass PPR Fittings
- Brass Compression Fittings
- Brass Flare Fittings
- Brass House Barbs & Fittings
- Brass Sanitary Fittings
- Brass Precision Components
- Brass Sheet Cuttings Parts
- Brass Forging Parts
- Brass Decorative Parts
- Brass Hardware
- Brass Customized Parts
- Brass Extrusion Rods, Billets & Ingots











WHAT	HOW	WHY
QUANTITY	Check Annual Requirements and Supplier	With an annual contacts the supplier can minimize tooling costs. greater flexible for the most economical methods of manufacturing is allowed
OVER AND UNDER RUNS	Ordering exact qualities increases costs	Allowance must be made for overage in production which must be prorated in the quoted price.
DELIVERY	Allow sufficient lead time for normal planning. provide your supplier with the best forecast	Quick deliveries involve premium material and labor costs. a Longer/better forecast permits More economical manufacturing runs.
PACKAGING	If special packaging, labeling or bar coding is required, advised the supplier of this when the request for pricing is made	Unusual packaging requirements are expensive due to special material and labor if advised in advance a supplier may be able to provide alternative less expansive packaging
MATERIAL	Design and Application permitting specify standard sizes of free machining grades.	standard size cost less and are more readily available free machining material (Brass) yields greater production improved finish and closer tolerance.
TOLERANCES	Specify no closer tolerance then absolutely functionally necessary.	if required suppliers of precision machined products can and will make the parts with close tolerance. however higher costs can be expected the closer the tolerance requirement
INTERNAL DIAMETERS	Hole diameter should be specified to the maximum allowed limits	Suppliers of precision machined products stock standard drills and reamers. special internal diameters can be produced but with the expensive special tooling.
THREADS	Specify standard threads as far as possible line UNC, UNF, OSO Metric, BSP (G) NPT, NPTF, BSW, BA Etc. Also For internal threads keep sort lengths if posssible.	Special Threads require special tools and gauges. closer fits may require additional operations full threads are harder to tap
GAUGES AND GAUGING EQUIPMENTS	Specify standard threads as far as possible line UNC, UNF, OSO Metric, BSP (G) NPT, NPTF, BSW, BA Etc. Also For internal threads keep sort lengths if posssible.	Special Threads require special tools and gauges. closer fits may require additional operations full threads are harder to tap
FINISH	Clearly specify surface finish no closer then necessary to meet function requirements.	Finer surface finish may require special tooling slower cycle time or additional second operation and special handling and packaging methods.
QUALITY	Be as detailed as possible with the quality requirements. specify which characteristics are of the greatest importance to products performances.	This will allow the supplier to focus on what is important and to follow parallel or compatible quality procedures.

INDEX

BRASS ROD, BILLET & IGNOTS	
BRASS ANCHOR	02
BRASS MOULDING & SPE. INSERTS	03
BRASS MOULDING & SPE. INSERTS	04
BRASS MOULDING & SPE. INSERTS	05
BRASS DIN STANDARD & SPECIAL NUT	06
BRASS DIN STANDARD & SPE. SCREW & BOLT	06
BRASS DIN STANDARD & SPE. SCREW & BOLT	07
DIN STANDARD & SPECIAL STAMPING PARTS (SHEET CUTTING PARTS)	09
NAYNA ENTERPRISE'S PRODUCT DISPLAY	10
NAYNA ENTERPRISE'S PRODUCT DISPLAY	11
BRASS STANDOFF (SPACER)	12
BRASS STANDOFF (SPACER)	13
BRASS ELECTRIC & ELE. COMPONENTS	
BRASS ELECTRIC & ELE. COMPONENTS	15
BRASS ELECTRIC & ELE. COMPONENTS	16
BRASS FILE BUSH	17
BRASS CABLE GLAND	18
BRASS EARTHING & TRANSFORMERS PARTS	19
BRASS FITTINGS PARTS	20
PVC SHROUDE	21
BRASS NEUTRAL LINKS, TERMINAL BLOCKS, FUSE PARTS & SWITCH GEAR PARTS	22
BRASS LINE TAPS	23
BRASS PRECISION COMPONENTS	24
MANUFACTURING PROCESS	25





BRASS EXTRUSION RODS, BILLETS & INGOTS

We prefer mainly used premium category scrap to making non ferrous parts, like USA Honey, UK Honey and some times European Honey. For Lead free grade we used pure Millberry copper with special grade 99.995 HZL (Hindustan Zinc Ltd). Even we works in many kind of brass grades.







Name : BRASS ROD, BILLET & IGNOTS

Size : As Per Customer Requirements

Rod Profile: ROUND, HEX, SQUARE & AS PER CUSTOMER REQUIREMENT





Name	: BRASS ANCHOR	
Size	: As Per Customer Requirements	
Thread	: METRIC,BSW,UNC ,UNF ,BSP,NPT,NPTF,BA ETC.	
Material	: ALL GRADE OF BRASS ETC.	
Plating	: NATURAL, NICKEL, TIN, AS PER CUSTOMER REQUIREMENTS	

BRASS MOULDING & SPE. INSERTS





Name : BRASS MOLDING & SPECIAL INSERT

Size : As Per Customer Requirements

Rod Profile: ROUND, HEX, SQUARE, AS PER CUSTOMER SPECIFICATION PROFILE

Knurling : STRAIGHT, DIAMOUND, CROSS, LEFT RIGHT KNULING &

AS PER CUSTOMER REQIRMENT "

Thread : METRIC, BSW, UNC, UNF, BSP, NPT, NPTF, BA ETC.

Material : ALL TYPE OF GRADE OF BRASS, MS, SS, ALUMINIUM, COPPER ETC.

Plating : NATURAL , NICKEL , TIN, AS PER CUSTOMR REQIRMENT.

Din : 16903 TYPE A,B,C,D,P,Q,R,S ETC.

BRASS MOULDING & SPE. INSERTS





Name : BRASS MOLDING & SPECIAL INSERT

Size : As Per Customer Requirements

Rod Profile: ROUND, HEX, SQUARE, AS PER CUSTOMER SPECIFICATION PROFILE

Knurling : STRAIGHT, DIAMOUND, CROSS, LEFT RIGHT KNULING &

AS PER CUSTOMER REQIRMENT "

Thread : METRIC, BSW, UNC , UNF , BSP, NPT, NPTF, BA ETC.

Material : ALL TYPE OF GRADE OF BRASS, MS, SS, ALUMINIUM, COPPER ETC.

Plating : NATURAL , NICKEL , TIN, AS PER CUSTOMR REQIRMENT.

Din : 16903 TYPE A,B,C,D,P,Q,R,S ETC.

BRASS MOULDING & SPE. INSERTS





Name : BRASS MOLDING & SPECIAL INSERT

Size : As Per Customer Requirements

Rod Profile: ROUND, HEX, SQUARE, AS PER CUSTOMER SPECIFICATION PROFILE

Knurling : STRAIGHT , DIAMOUND , CROSS , LEFT RIGHT KNULING &

AS PER CUSTOMER REQIRMENT "

Thread : METRIC, BSW, UNC , UNF , BSP, NPT, NPTF, BA ETC.

Material : ALL TYPE OF GRADE OF BRASS, MS, SS, ALUMINIUM, COPPER ETC.

Plating : NATURAL , NICKEL , TIN, AS PER CUSTOMR REQIRMENT.

Din : 16903 TYPE A,B,C,D,P,Q,R,S ETC.

BRASS DIN STANDARD & SPECIAL NUT





Name : BRASS DIN STANDARD & SPECIAL NUT

Size : As Per Customer Requirements

Rod Profile: HEX, SQUARE, AS PER CUSTOMER SPECIFICATION PROFILE

Thread : METRIC, BSW, UNC , UNF , BSP, NPT, NPTF, BA ETC.

Material : ALL TYPE OF GRADE OF BRASS, MS, SS, ALUMINIUM, COPPER ETC.

Plating : NATURAL , NICKEL , TIN, AS PER CUSTOMR REQIRMENT.

Din : 315,439,557,934,936,1587,6923

BRASS DIN STANDARD & SPE. SCREW & BOLT





Name	: BRASS DIN STANDARD & SPECIAL SCREW & BOLT
Size	: As Per Customer Requirements
Head St	tyles: FLAT,OVAL,PAN,TRUSS,ROUND,HEX,HEX WASHER , SLOTTED HEX WASHER ,BUTTON,SOCKET CAP
Thread	: METRIC,BSW,UNC ,UNF ,BSP,NPT,NPTF,BA ETC.
Materia	: ALL TYPE OF GRADE OF BRASS ,MS,SS,ALUMINIUM ,COPPER ETC.
Plating	: NATURAL ,NICKEL ,TIN, AS PER CUSTOMR REQIRMENT.
Din	: 84,85,933,963,965,966,7981,7982,7504 O ETC.

BRASS DIN STANDARD & SPE. SCREW & BOLT






Name	: BRASS DIN STANDARD & SPECIAL SCREW & BOLT
Size	: As Per Customer Requirements
Head Styl	es: FLAT,OVAL,PAN,TRUSS,ROUND,HEX,HEX WASHER , SLOTTED HEX WASHER ,BUTTON,SOCKET CAP
Thread	: METRIC,BSW,UNC ,UNF ,BSP,NPT,NPTF,BA ETC.
Material	: ALL TYPE OF GRADE OF BRASS ,MS,SS,ALUMINIUM ,COPPER ETC.
Plating	: NATURAL ,NICKEL ,TIN, AS PER CUSTOMR REQIRMENT.
Din	: 84,85,933,963,965,966,7981,7982,7504 O ETC.

DIN STANDARD & SPECIAL STAMPING PARTS





Name : BRASS DIN STANDARD & SPECIAL STAMPING PARTS (SHEET CUTTING PARTS)

Size : As Per Customer Requirements

Rod Profile : ROUND, HEX , SQUARE , AS PER CUSTOMER SPECIFICATION PROFILE

Thread : M1 TO M100 , AS PER CUSTOMER SPECIFICATION

Material : ALL TYPE OF GRADE OF BRASS , MS, SS, ALUMINIUM , COPPER ETC.

Plating : NATURAL , NICKEL , TIN, AS PER CUSTOMR REQIRMENT.

Din : 125,127,433 ETC.



Mfg. of Turned Components





BRASS STANDOFF (SPACER)





BRASS STANDOFF (SPACER)






BRASS ELECTRIC & ELE. COMPONENTS





BRASS ELECTRIC & ELE. COMPONENTS





Name	•	BRASS ELECTRIC & ELECTRICAL COMPONENTS
Size	•	As Per Customer Requirements
Rod Profile	•	ROUND ,SQUARE , HEX, AS PER CUSTOMER SPECIFICATION PROFILE
Thread	•	METRIC,BSW,UNC ,UNF ,BSP,NPT,NPTF,BA ETC.
Material	•	ALL TYPE OF GRADE OF BRASS ,MS,SS,ALUMINIUM ,COPPER ETC.
Plating	•	NATURAL ,NICKEL ,TIN, AS PER CUSTOMR REQIRMENT.
Product		TERMINAL ,SOCKET PIN ,PLUG PIN, CHARGER PIN ,HOLLOW PIN , AS PER CUSTOMER SPECIFICATION

BRASS ELECTRIC & ELE. COMPONENTS





(Name	: BRASS ELECTRIC & ELECTRICAL COMPONENTS	
	Size	: As Per Customer Requirements	
	Rod Profile	: ROUND ,SQUARE , HEX, AS PER CUSTOMER SPECIFICATION PROFILE	
	Thread	: METRIC,BSW,UNC ,UNF ,BSP,NPT,NPTF,BA ETC.	
	Material	: ALL TYPE OF GRADE OF BRASS ,MS,SS,ALUMINIUM ,COPPER ETC.	
	Plating	: NATURAL ,NICKEL ,TIN, AS PER CUSTOMR REQIRMENT.	
	Product	: TERMINAL ,SOCKET PIN ,PLUG PIN, CHARGER PIN ,HOLLOW PIN , AS PER CUSTOMER SPECIFICATION	

BRASS FILE BUSH





Name	: BRASS FILE BUSH	
Size	: As Per Customer Requirements	
Thread	: METRIC,BSW,UNC ,UNF ,BSP,NPT,NPTF,BA ETC.	
Material	: ALL TYPE OF GRADE OF BRASS ,MS,SS,ALUMINIUM ,COPPER ETC.	
Plating	: NATURAL, NICKEL, TIN, AS PER CUSTOMR REQIRMENT.	

BRASS CABLE GLAND





Name	: BRASS CABLE GLAND	
Size	: As Per Customer Requirements	
Material	: ALL TYPE OF GRADE OF BRASS ,MS,SS,ALUMINIUM ETC.	
Platting	: NATURAL, NICKLE PLATING	
Product	: A1 , A1A2,BW,CW,SC,DC,METRIC,PG, ETC.	

BRASS EARTHING & TRANSFORMERS PARTS





Name	: BRASS EARTHING & TRASNSFORMERS PARTS
Size	: As Per Customer Requirements
Thread	: METRIC,BSW,UNC ,UNF ,BSP,NPT,NPTF,BA ETC.
Material	: ALL TYPE OF GRADE OF BRASS, GUNMETAL ETC.
Platting	: NATURAL ,NICKLE PLATING,ETC.
Product	EARTHING ROD & FITTINGS ,EARTHING SYSTERMS, EARTHING U BOLT CLAMPS,BONDS,CLAMP & CLIPS,CABLE HOLDER ,LUGS

BRASS FITTINGS PARTS





Name	: BRASS FITTINGS PARTS	
Size	: As Per Customer Requirements	
Thread	: METRIC,BSW,UNC ,UNF ,BSP,NPT,NPTF,BA ETC.	
Material	: ALL TYPE OF GRADE OF BRASS	
Platting	: NATURAL, NICKLE PLATING	
Product	PIPE FITTINGS ,COMPRESSION FITTING ,FLARE FITTINGS, HOSE BARBS & FITTINGS ,PPR FITTINGS ETC	

PVC SHROUDE





Name : PVC SHROUDE

Size : As Per Customer Requirements


Platting : NATURAL , RED , GREEN , YELLOW ETC.

Material : REGULAR & LSF

BRASS NEUTRAL LINKS, TERMINAL BLOCKS,







Name	: BRASS NEUTRAL LINKS, TERMINAL BLOCKS, FUSE PARTS & SWITCH GEAR PARTS
Size	: As Per Customer Requirements
Thread	: METRIC, BSW, UNC, UNF ,BSP, NPT, NPTF, BA ETC.
Material	: ALL TYPE OF GRADE OF BRASS ,MS,SS,ALUMINIUM ETC.
Platting	: NATURAL ,NICKEL ,TIN, AS PER CUSTOMR REQIRMENT.

BRASS LINE TAPS





Name	: BRASS LINE TAPS
Size	: As Per Customer Requirements
Thread	: METRIC, BSW, UNC ,UNF ,BSP, NPT, NPTF, BA ETC.
Material	: ALL TYPE OF GRADE OF BRASS ,COPPER , ETC.
Platting	: NATURAL, NICKEL, TIN, AS PER CUSTOMR REQIRMENT.

BRASS PRECISION COMPONENTS






Name	: BRASS PRECISION COMPONENTS	
Size	: As Per Customer Requirements	
Thread	: METRIC,BSW,UNC ,UNF ,BSP,NPT,NPTF,BA ETC.	
Material	: ALL TYPE OF GRADE OF BRASS ,MS,SS,ALUMINIUM ,COPPER ETC.	
Platting	: NATURAL ,NICKEL ,TIN, AS PER CUSTOMR REQIRMENT.	


MANUFACTURING PROCESS



PROCESS FOR BRASS ROD & BILLET



PROCESS FOR BRASS COMPONENTS







Spl. Shed No. 14, G.I.D.C. 1, Shanker Tekri Udyognagar - Jamnagar 361004 (Guj.)

\(+91-0288-2563901

Support@naynaenterprise.co.in

www.naynaenterprise.co.in

